

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SNOWFOAM HF20**Product Code:** HS01190**Registration number** Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product category PC35 Washing and cleaning products (including solvent based products)**Application of the substance / the mixture** Cleaning agent/ Cleaner

Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour release in excess of the assigned Workplace Exposure Limit where workers are exposed without suitable Respiratory Protective Equipment.

1.3 Details of the supplier of the safety data sheet

Supplier:

Pennine Lubricants Ltd

32 Atlas Way

Sheffield

S4 7QQ

Tel: 0114 285 2987

Email: Admin@penninelubricants.co.uk

Further information obtainable from: Product safety department.

1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to GB-CLP

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.**Hazard pictograms**

GHS05

Signal word Danger**Hazard-determining components of labelling:**

Tetrasodium ethylenediaminetetraacetate

Sodium hydroxide

Non-ionic surfactant

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

GB

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 1)

Precautionary statements

P264 Wash thoroughly after handling.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** An aqueous solution of the substances listed below with multifunctional additives.

Dangerous components:		
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2 Reg.nr.: 01-2119486762-27-XXXX	Tetrasodium ethylenediaminetetraacetate ☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302; Acute Tox. 4, H332	3 – 10%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol ☠ Acute Tox. 3, H331; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	2.5 – < 10%
CAS: 68439-46-3 EC number: 614-482-0	Non-ionic surfactant ☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	3 – 10%
CAS: 85586-07-8 EINECS: 287-809-4 Reg.nr.: 01-2119489463-28-XXXX	Sodium lauryl sulphate ☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 % Eye Irrit. 2; H319: 10 % ≤ C < 20 %	1 – < 2.5%
CAS: 90170-43-7 EINECS: 290-476-8 Reg.nr.: 01-2119976233-35-XXXX	β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs, disodium salts ☠ Eye Irrit. 2, H319	1 – 2.5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	Sodium hydroxide ☠ Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	0.5 – < 1%
CAS: 112-53-8 EINECS: 203-982-0 Reg.nr.: 01-2119485976-15-XXXX	Dodecan-1-ol ☠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ☠ Eye Irrit. 2, H319	0.25 – < 1%
CAS: 112-72-1 EINECS: 204-000-3 Reg.nr.: 01-2119485910-33-XXXX	Tetradecanol ☠ Aquatic Chronic 1, H410; ☠ Eye Irrit. 2, H319	0.1 – < 0.25%

(Contd. on page 3)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 2)

Additional information:

Neutralisation products are exempt from registration in accordance with UK REACH Annex V, 4.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Wash mouth out with water

Do not induce vomiting; call for medical help immediately.

Information for doctor: Treat symptomatically and supportively.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Toxic metal oxide smoke

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

(Contd. on page 4)

GB

Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 3)

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.
Safety showers and eye wash facilities should be available at the work area.
Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:
Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
Information about storage in one common storage facility:
Do not store together with acids.
Store away from oxidising agents.
Further information about storage conditions:
Store in cool, dry conditions in well sealed receptacles.
Protect from frost.
Storage class: 12
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
CAS: 111-76-2 2-butoxyethanol		
WEL	Short-term value: 246 mg/m , 50 ppm Long-term value: 123 mg/m , 25 ppm Sk, BMGV	
CAS: 1310-73-2 Sodium hydroxide		
WEL	Short-term value: 2 mg/m	
DNELs		
CAS: 64-02-8 Tetrasodium ethylenediaminetetraacetate		
Oral	Long-term systemic effects	25 mg/kg bw/day (general population)
Inhalative	Long-term systemic effects	1.5 mg/m (worker)
	Short-term systemic effects	3 mg/m (worker)
	Short-term local effects	1.2 mg/m (general population)
		3 mg/m (worker)
	Long-term local effects	600 µg/m (general population) 1,500 µg/m (worker)
CAS: 111-76-2 2-butoxyethanol		
Oral	Long-term systemic effects	6.3 mg/kg bw/day (general population)
	Short-term systemic effects	26.7 mg/kg bw/day (general population)

(Contd. on page 5)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 4)

Inhalative	Long-term systemic effects	59 mg/m (general population) 98 mg/m (worker)
	Short-term systemic effects	426 mg/m (general population) 1,091 mg/m (worker)
	Short-term local effects	147 mg/m (general population) 246 mg/m (worker)
CAS: 68439-46-3 Non-ionic surfactant		
Oral	Long-term systemic effects	25 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1,250 mg/kg bw/day (general population) 2,080 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	87 mg/m (general population) 294 mg/m (worker)
CAS: 85586-07-8 Sodium lauryl sulphate		
Oral	Long-term systemic effects	24 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	2,440 mg/kg bw/day (general population) 4,060 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	85 mg/m (general population) 285 mg/m (worker)
CAS: 90170-43-7β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts		
Dermal	Long-term systemic effects	2.67 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	980 mg/m (worker)
CAS: 1310-73-2 Sodium hydroxide		
Inhalative	Long-term local effects	1 mg/m (general population) 1 mg/m (worker)
CAS: 112-53-8 Dodecan-1-ol		
Oral	Long-term systemic effects	44.5 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	44.5 mg/kg bw/day (general population) 89 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	77 mg/m (general population) 313 mg/m (worker)
	Long-term local effects	155 mg/m (worker)
CAS: 112-72-1 Tetradecanol		
Oral	Long-term systemic effects	44.4 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	44.4 mg/kg bw/day (general population) 89 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	77 mg/m (general population) 313 mg/m (worker)
PNECs		
CAS: 64-02-8 Tetrasodium ethylenediaminetetraacetate		
Freshwater		2.83 mg/L
Freshwater - Intermittent releases		1 mg/L
Marine water	µg/L	283
Marine Water - Intermittent releases		1 mg/L
Sewage Treatment Plant		50 mg/L

(Contd. on page 6)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 5)

Soil	1.1 mg/kg
CAS: 111-76-2 2-butoxyethanol	
Freshwater	8.8 mg/L
Freshwater - Intermittent releases	26.4 mg/L
Marine water µg/L	880
Sewage Treatment Plant	463 mg/L
Sediment (freshwater)	34.6 mg/kg
Sediment (marine water)	3.46 mg/kg
Soil	2.33 mg/kg
Secondary poisoning	20 mg/kg food
CAS: 68439-46-3 Non-ionic surfactant	
Freshwater µg/L	103.79
Freshwater - Intermittent releases	14 µg/L
Marine water µg/L	103.79
Sewage Treatment Plant	1.4 mg/L
Sediment (freshwater)	13.7 mg/kg
Sediment (marine water)	13.7 mg/kg
Soil	1 mg/kg
CAS: 85586-07-8 Sodium lauryl sulphate	
Freshwater µg/L	131
Freshwater - Intermittent releases	36 µg/L
Marine water µg/L	13.1
Sewage Treatment Plant	1.35 mg/L
Sediment (freshwater)	4.61 mg/kg
Sediment (marine water) µg/kg	461
Soil µg/kg	846
CAS: 90170-43-7β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	
Freshwater µg/L	100
Freshwater - Intermittent releases	100µg/L
Marine water µg/L	10
Sewage Treatment Plant µg/L	300
CAS: 112-53-8 Dodecan-1-ol	
Freshwater µg/L	1.3
Marine water	130 ng/L
Soil µg/kg	132
CAS: 112-72-1 Tetradecanol	
Freshwater	630 ng/L
Marine water	63 ng/L
Soil µg/kg	428
Ingredients with biological limit values:	
CAS: 111-76-2 2-butoxyethanol	
BMGV	240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

(Contd. on page 7)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 6)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Do not inhale gases / fumes / aerosols.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles conforming to EN166.

Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

Risk management measures The operators shall be instructed adequately.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Fluid

Colour:

Red-Pink

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range 100 °C (CAS: 7732-18-5 Water)

(Contd. on page 8)

GB

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 7)

Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	12
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	~ 1.06 g/cm
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	3.62 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 9)

GB

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 8)

10.2 Chemical stability**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** Heat and static discharge.**10.5 Incompatible materials:**

Strong acids.

Strong oxidising agents.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Toxic metal oxide smoke

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral	LD50	5,453.2 mg/kg
Inhalative	LC50/4 h	82.919 mg/l (ATE)

CAS: 64-02-8 Tetrasodium ethylenediaminetetraacetate

Oral	LD50	1,780 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat) (ATE)

CAS: 111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE)
Dermal	LD50	3,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE) 3 mg/l (rat)

CAS: 68439-46-3 Non-ionic surfactant

Oral	LD50	316.84 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5,000 mg/l (rat)

CAS: 85586-07-8 Sodium lauryl sulphate

Oral	LD50	1,260 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5 mg/l (rat)

CAS: 90170-43-7β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

CAS: 112-53-8 Dodecan-1-ol

Oral	LD50	12,800 mg/kg (rat)
------	------	--------------------

Primary irritant effect:**Skin corrosion/irritation**

Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 10)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 9)

Reproductive toxicity Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:**CAS: 90170-43-7β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts**

EC50 (96 h) 4.2 mg/l (Fish)

EC50 (48 h) 29 mg/l (Daphnia)

EC50 (72 h) 9.4 mg/l (Algae)

12.2 Persistence and degradability The organic portion of the product is biodegradable.**12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.**12.7 Other adverse effects****Additional ecological information:****General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

Uncleaned packaging:**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

(Contd. on page 11)

GB

Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 10)

Containers, even those that are “empty,” may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es) ADR/RID/ADN, ADN, IMDG, IATA Class	Not applicable
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Not applicable
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Poisons Act

Regulated explosives precursors		
None of the ingredients are listed.		
Regulated poisons		
None of the ingredients are listed.		
Reportable explosives precursors		
None of the ingredients are listed.		
Reportable poisons		
CAS: 1310-73-2	Sodium hydroxide	12% of total caustic alkalinity

Control Of Major Accident Hazards Regulations 2015 (COMAH)
Named dangerous substances - ANNEX I None of the ingredients are listed.

National regulations:

Information about limitation of use:

Class	Share in %
NK	2.0

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety data sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 11.12.2024

Version number 1

Revision: 11.12.2024

(Contd. of page 11)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects
H412 Harmful to aquatic life with long lasting effects.

Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

Department issuing SDS: Product safety department.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3